



Schizofrenie/psychotische stoornis: sultiam

6775

Datum literatuursearch: 29 september 2017

CONCLUSIE

Er zijn geen meldingen van psychose gemaakt bij gebruik van sultiam. Tevens is er geen literatuur bekend over de toepassing van sultiam bij patiënten met schizofrenie/psychotische stoornis. In de productinformatie wordt geadviseerd om sultiam bij alle patiënten met psychiatrische stoornissen alleen toe te passen onder adequate monitoring. Dit gaat over het verhoogde risico op suïcidaal gedrag bij gebruik van anti-epileptica. Suïcidaal gedrag valt niet onder deze contra-indicatie.

PICO

P(atient)	Patiënten met schizofrenie/psychotische stoornis (in de voorgeschiedenis)
I(ntervention)	Sultiam
C(omparison / Control)	Patiënten met schizofrenie/psychotische stoornis (in de voorgeschiedenis) zonder sultiam
O(utcome)	Verergering schizofrenie/psychotische stoornis of optreden psychotische bijwerkingen

PUBMED

Zoekterm:

((("sulthiame" [Supplementary Concept]) AND ((((((("psychosis"[Title/Abstract]) OR "psychotic"[Title/Abstract]) OR "schizophren"[Title/Abstract]) OR "worsen"[Title/Abstract]) OR "delusion"[Title/Abstract]) OR "hallucinat"[Title/Abstract])) AND (((("Schizophrenia Spectrum and Other Psychotic Disorders"[Mesh]) OR "Psychotic Disorders"[Mesh]) OR "Schizophrenia"[Mesh]))

En

("sulthiame"[Supplementary Concept]) AND ((((((("psychosis"[Title/Abstract]) OR "psychotic"[Title/Abstract]) OR "schizophren"[Title/Abstract]) OR "worsen"[Title/Abstract]) OR "delusion"[Title/Abstract]) OR "hallucinat"[Title/Abstract]))

EMBASE

Zoekterm: ('psychosis'/mj OR 'atypical psychosis' OR 'cycloid psychosis' OR 'encephalopschychosis' OR 'first episode psychosis' OR 'oneiroid psychosis' OR 'presenile psychosis' OR 'psychoses, substance-induced' OR 'psychosis' OR 'psychosis, cycloid' OR 'psychosis, toxic' OR 'psychosis, unipolar' OR 'psychotic' OR 'psychotic disorder' OR 'psychotic disorders' OR 'psychotic patient' OR 'psychotic reaction' OR 'psychotic states' OR 'psychoticism' OR 'reaction psychosis' OR 'schizophrenia and disorders with psychotic features' OR 'schizophrenia spectrum and other psychotic disorders' OR 'symbiotic psychosis' OR 'toxic psychosis' OR 'unipolar psychosis' OR 'schizophrenia spectrum disorder'/mj OR 'schizophrenia spectrum disorder' OR 'delusion'/mj OR 'delusion' OR 'delusions' OR 'hallucination'/mj OR 'hallucination' OR 'hallucinations' OR 'schizophrenia'/mj OR 'childhood schizophrenia' OR 'chronic schizophrenia' OR 'dementia praecox' OR 'dementia precoc' OR 'schizophrenia' OR 'schizophrenia, childhood' OR 'schizophrenic' OR 'schizophrenic language' OR 'schizophrenic syndrome') AND ('sultiam'/mj OR '2 (para sulfamoylphenyl) tetrahydro 1, 2 thiazine 1, 1 dioxide' OR 'conadil' OR 'contravul' OR 'elisal' OR 'n (para sulfamoylphenyl) 1, 4 butanesultam' OR 'ospolot' OR 'para (tetrahydro 2h 1, 2 thiazin 2 yl) benzenesulfonamide s, s dioxide' OR 'riker 594' OR 'rp 10284' OR 'sulphenytame' OR 'sulthiame' OR 'sultiam' OR 'sultiam' OR 'trolone') AND ('psychosis'/mj OR 'atypical psychosis' OR 'cycloid psychosis' OR 'encephalopschychosis' OR 'first episode psychosis' OR 'oneiroid psychosis' OR 'presenile psychosis' OR 'psychoses, substance-induced' OR 'psychosis' OR 'psychosis, cycloid' OR 'psychosis, toxic' OR 'psychosis, unipolar' OR 'psychotic' OR 'psychotic disorder' OR 'psychotic disorders' OR 'psychotic patient' OR 'psychotic reaction' OR 'psychotic states' OR 'psychoticism' OR 'reaction psychosis' OR 'schizophrenia and disorders with psychotic features' OR 'schizophrenia spectrum and other psychotic disorders' OR 'symbiotic psychosis' OR 'toxic psychosis' OR 'unipolar psychosis' OR 'schizophrenia spectrum disorder'/mj OR 'schizophrenia spectrum disorder' OR 'drug induced psychosis'/mj OR 'drug induced psychosis' OR 'drug related psychosis' OR 'delusion'/mj OR 'delusion' OR 'delusions' OR 'hallucination'/mj OR 'hallucination' OR 'hallucinations' OR 'schizophrenia'/mj OR 'childhood schizophrenia' OR 'chronic schizophrenia' OR 'dementia praecox' OR 'dementia precoc' OR 'schizophrenia' OR 'schizophrenia, childhood' OR 'schizophrenic' OR 'schizophrenic language' OR 'schizophrenic syndrome') AND ('randomized controlled trial'/mj OR 'controlled trial, randomized' OR 'pragmatic clinical trial' OR 'pragmatic clinical trials' OR 'randomised controlled study' OR 'randomised controlled trial' OR 'randomized controlled study' OR 'randomized controlled trial' OR 'trial, randomized controlled' OR 'case report'/mj OR 'case control study'/mj OR 'case control study' OR 'case-control studies' OR 'case-control study' OR 'control study, case' OR 'matched case control' OR 'matched case control studies' OR 'matched case control study')

Geen resultaten

RICHTLIJNEN

Geen relevante vermeldingen

OVERIGE

Bron	Effect
ref. 1 Productinformatie Ospolot [21-11-2013] Experimenteel middel, geen reguliere registratie in Nederland	Warnings Ospolot should be administered to patients with a history of psychiatric disorders or impaired renal function only with adequate monitoring. Sulthiame is predominantly renally excreted. Precautions Antiepileptic drugs, including sulthiame, increase the risk of suicidal thoughts or behaviour in patients taking these drugs for any indication. Patients treated with any antiepileptic drug (AED) for any indication should be monitored for the emergence or worsening of depression, suicidal thoughts or behaviour, and / or any unusual changes in mood or behaviour. [...]

	Contra-indicatie	Actie	Datum
Beslissing deskundigen	Nee	Nee	15 november 2017